

Linear High Bay Fixture



FEATURES

- Optional 0~10V Dimmable*
- 120~277V AC or 347~480V AC Input
- Available in 2' or 4'
- Ultra Bright, 130 LPW
- Instant On, No Flicker, Mercury Free, No UV
- Pendant, Suspended or Surface Mount
- Anti-Glare PMMA Lens Included
- Optional Emergency Back up Power, Infrared Sensor and Microwave Sensor
- Long Lifetime, L70>50,000 Hours
- Exceptional Color Accuracy, CRI >80
- ETL Certified, RoHS Compliant & DLC Premium Certified
- 5-Year Limited Warranty

**Dimmable with compatible 0~10V dimmers only. Speak to a CLEANLIFE® representative for more information.*



5-Year Limited Warranty

APPLICATION INFORMATION


Applications

- Indoor
- Warehouse
- Factory

Market Segments

- Commercial
- Industrial

Color Temperature



Ultra Bright



Anti-Glare



Flicker Free



Energy Saving



Robust Design





Specifications & Data

Project/Job	Notes
Date	
Comments	
Prepared by	

Ordering Information

CL	PHB	Size	Wattage	Function	Color Temperature	Voltage	0
CL	PHB	06 (24")	110 (24" only)	SN (Sensor)	30 (3000K)	L (120~277V)	0
			160 (24" only)	DM (Dimming)	35 (3500K)	H (347~480V)	
			220 (28" or 48")	EP (Back up Power)	40 (4000K)		
		12 (48")	320 (48" only)	SD (Sensor + Dimming)	50 (5000K)		
				DE (Back up Power + Dimming)	57 (5700K)		
				NN (No Function)			
CL	PHB06		110DM			50L0	

Example Part Number: CL-PHB06-110DM-50L0

Linear High Bay Dimensions

Part Number	(A) Length (in./mm)	(B) Width (in./mm)	(C) Height (in./mm)
CL-PHB06-XXXXX-XX-X-0	23.6/600	13.6/345	2.2/55
CL-PHB12-XXXXX-XX-X-0	47.2/1200	13.6/345	2.2/55

Accessories



Emergency Battery Backup Driver



Built-In Microwave Motion Sensor & Daylight Sensor



Infrared Sensor



Wire Guard



Pendant Installation Kit



Surface Mount Installation Kit

CLEANLIFE® LED

1-800-316-2532

support@cleanlife.com

www.cleanlife.com

CLEANLIFE® and the Pinwheel Mark are registered trademarks of Superior Ventures LLC. All Rights Reserved. Not to be reproduced or published without prior permission.

PLEASE NOTE: Product specifications are based off of third party test reports and are subject to change without notice.

